

AERATION CIRCULATION 50 HZ

Water in AIR / AIR in Water



COMBO



COMBO is a combined system which combines the capability of circulators to move large water volumes with the capability of aerators to inject large volumes of air or oxygen. Combined systems create exponential yields with a high percentage of oxygen transfer and water movement due to the considerable increase in the contact time between air/oxygen and water. Combined systems make it possible to transfer up to 10 times the amount of oxygen compared to a traditional aerator, with very little additional energy, thanks to the greater volume of water managed by the system. COMBO (consisting of 1 RIO circulator and 1 Force7 aerator) is ideal for large reservoirs and any type of highly professional application as well as for heavy-duty and harsh conditions.

PLUS

- > Combix configuration available (1 RIO circulator with 2 Force7 aerators) for stronger aeration
- > Suitable in fresh, brackish and sea water
- > Best performances with very low energy consumption
- > Air or pure oxygen applications
- > Independent motor operation, as needed, and energy saving




MODELS	VOLTAGE	MOTOR	CIRCULATOR			AERATOR		
			MODEL	KW	HP	MODEL	KW	HP
COMBO1	230M-400T	2	BRIO	0.75	1	F7 2	1.1	1.5
COMBO2	230M-400T	2	AG10	0.75	1	F7 2	1.1	1.5
COMBIX	230M-400T	3	AG20	1.5	2	F7 2 x 2	1.1+ 1.1	1.5+ 1.5
COMBO PRO	400T	2	AG20	1.5	2	F7 PRO 5	3.5	5
COMBIX PRO	400T	3	AG20	1.5	2	F7 PRO 5 x 2	3.5 + 3.5	5 + 5

COMBO2



COMBIX PRO





STATIC TOWER INSTALLATION





MADE IN ITALY



ACQUA&CO S.R.L

Via Augera, 5/A 42023 Cadelbosco di Sopra (RE) - Italia
Tel. +39 0522 918701 - Fax +39 0522 918790
info@acquaeco.com

