



# OXYGENATING WATER TECHNOLOGY

ACQUAECOREMEDY

## COMBO



## COMBITO



## COMBO PRO



**50 HZ - 60 HZ** Other voltage available on request / Other combinations available

Single phase 110 V - 220 V - 230 V	Three phase 220 V - 380 V - 400 V - 440 V	Motors	Power Circulator Model	Power Circulator HP	Power Circulator kW	Power Aerator Model	Power Aerator HP	Power Aerator kW38
Combo 20 M	Combo 20 T	2	AG20	2	1,5	MA12	1,5	1,125
Combix M	Combix T	3	AG20	2	1,5	MA12	1,5	1,125
Combito CT408 M	Combito CT408 T	2	BR40	1	0,75	MA08	1	0,775
Combo Pro 3 M	Combo Pro 3 T	2	AG20	2	1,5	PR30	3	2,25
Combo Pro 4 M	Combo Pro 4 T	2	AG20	2	1,5	PR40	4	3,0
Combix Pro 4 M	Combo Pro 4 T	3	AG20	2	1,5	PR40	4	3,0

COMBITO – COMBO – COMBO PRO and COMBIX PRO, are classified as combined systems that marry the ability of circulators to move large volumes water with the ability of aerators to inject large volumes of air or oxygen. Combined system create exponential yields with a high percentage of oxygen transfer and

water movement due to the considerable increase in the contact time between the air/oxygen and water. The combined systems make it possible to transfer up to 10 times the amount of oxygen compared to a simple aerator, with very little additional energy, thanks to the greater volume of water managed by the system.

COMBITO – COMBO – COMBO PRO and COMBIX PRO are ideal for large reservoirs and any type of highly professional application. Installations are available with various combinations of motors, at various strengths, numbers and types, according to the specific needs and requirements.



ACQUAECOREMEDY IS  
THE ENVIRONMENTAL DIVISION OF



VIA AUGERA 5/A  
42023 CADELBOSCO SOPRA  
REGGIO EMILIA - ITALY

TEL. +39 0522 918769  
FAX +39 0522 918790  
INFO@ACQUAECOREMEDY.COM

WWW.ACQUAECOREMEDY.COM

