

AERATION CIRCULATION 60 HZ

Water in AIR / AIR in Water



BRIO



BRIO is a high flow cost-effective circulator and the featured motor is adjustable to the desired depth. The flow may be oriented for better adaptation to the tank or basin shape. With its strong mixing action BRIO ensures destratification and circulation in ponds or water basins up to 3.000 m². Equalization enables BRIO to distribute all the nutrients and oxygen over the entire volume of water. BRIO is suitable for fresh and salt water applications.

PLUS

- > High flow
- > Lightweight
- > Adjustable motor depth and orientation
- > Energy efficient
- > Fast speed motor available

OPTIONAL CONVEYOR



SUPPORTS



FLOATING INSTALLATION

Light weight and easy to install, for standard aquaculture applications.



STATIC INSTALLATION

Guiding pole system solution, easy to remove. Suitable for deep tank application.



DOCK MOUNT INSTALLATION

Useful for lake de-icing, weed/algae removal and destratification.

SINGLE PHASE 230 V	THREE PHASE 400 V	NOM. POW. HP	NOM. POW. KW	AMPERAGE SINGLE PHASE	AMPERAGE THREE PHASE	R.P.M./1"	WEIGHT KG
BRIO 0,5 M	BRIO 0,5 T	0.5	0.37	2.7	1.7	1650	16.5
BRIO 1 M	BRIO 1 T	1	0.75	6.0	2.5	1650	17.5
BRIO P 1.5 M	BRIO P 1.5 T	1.5	1.1	8.0	2.9	1650	20
BRIO FS 0,5 M	BRIO FS 0,5 T	0.5	0.37	2.7	1.6	3350	15
BRIO FS 1 M	BRIO FS 1 T	1	0.75	5.3	2.1	3350	16.5
BRIO FS 1,5 M	BRIO FS 1,5 T	1.5	1.1	7.7	3.0	3350	16.5
BRIO FS P 2 M	BRIO FS P 2 T	2	1.5	10.2	3.8	3350	20/17.5
	BRIO FS P 2,5 T	2.5	1.87		4.6	3350	20




Customized solutions on request

Anode in Al-Zn to avoid motor corrosion in the most demanding environment

Propeller in light weight reinforced plastic, high mixing action from 600 to 1200m³/h

Fast speed motor FS available with double RPM for extended mixing effect

Motor body in marine brass suitable for seawater and resistant to galvanic currents





MADE IN ITALY



ACQUA&CO S.R.L

Via Augera, 5/A 42023 Cadelbosco di Sopra (RE) - Italia
Tel. +39 0522 918701 - Fax +39 0522 918790
info@acquaeco.com

